

ADORABLE Air Purifiers

FOR MODEL: EE-5064 / 5065





If you have any questions about the operation of your humidifier, please contact Crane Customer Care.

Toll Free: 888-599-0992

Email: customer-service@crane-usa.com



PLEASE READ AND SAVE ALL INSTRUCTIONS TO ENSURE THE SAFE AND EFFECTIVE USE OF THIS HUMIDIFIER.

SAVE YOUR DATED PROOF OF PURCHASE!

[You will need this in case of warranty]

staple tape or paperclip your receipt HERE

TABLE OF CONTENTS

Table of Contents & Sustainability	P. 1
Safety Instructions	P. 2-3
List of Main Parts & Technical Specifications	P. 4
Air Purifier Filters	P. 5
Operation & Use, Replacing The HEPA Filter	P. 6
Replacing The Germicidal UV Light, Maintenance	P. 7
Customer Care & Troubleshooting	P. 8
Warranty	P. 9

CRANE & SUSTAINABILITY



Crane USA is dedicated to your environment both inside and outside your home. We know if cleaned and maintained properly, our products last for years helping to reduce unnecessary use of resources and emissions making new products.

The Crane manual you are holding is from recycled materials with no added finishes or harmful dyes. If the purifier should no longer operate, please be sure to dispose of it in an environmentally friendly way by taking it to a public collection point.

PLEASE DO NOT PLACE BROKEN PURIFIERS WITH YOUR REGULAR HOUSEHOLD WASTE.

IMPORTANT SAFETY INSTRUCTIONS



WARNING! READ AND SAVE THESE INSTRUCTIONS. Failure to follow all of the instructions listed below may result in electric shock, fire and/or serious personal injury.

- 1. To avoid fire and shock hazard, plug the appliance directly into a 120V AC electrical outlet.
- 2. Never operate the unit with a damaged cord or plug.
- 3. Keep cord out of heavy traffic areas. To avoid fire hazard, NEVER put the cord under rugs, or near heat registers, radiators, stoves, or heaters.
- 4. Always place the air purifier where it is not easily knocked over by persons in household.
- 5. Never touch the air purifier with wet hands. ALWAYS plug and unplug unit with dry hands.
- 6. Do not operate the product in any greasy environment such as a kitchen. This product is not intended to filter oil or grease from air.
- 7. Do not use air purifier in bathrooms or other humid environments, near fireplaces or in areas where flammable or combustible vapors or products may exist.
- 8. Always unplug the power cord from electrical outlet when the air purifier is not in use, before cleaning, inserting or removing parts or before moving to another location.
- 9. NEVER run air purifier until it is fully assembled.
- 10. NEVER drop or insert any object into any openings.
- 11. Use appliance only for the intended household use as described in this manual. Do not use outdoors.
- 12. Never use the power cord to pick up, carry, drag, pull, or lift the air purifier. Do not pull the cord against or around sharp corners or edges. This could result in injury to the user and/or damage the cord.
- 13. Never pull on the cord itself to unplug from power outlet.
- 14. ALWAYS turn unit off before unplugging.
- 15. Never block the air openings, or place on soft surface, such as a bed or sofa, as this could cause the unit to tip over thus blocking the air intake opening.
- 16. DO NOT place anything on top of unit.
- 17. NEVER use detergents, gasoline, glass cleaner, paint thinner or other household solvents to clean any part of the unit.
- 18. Always place the unit on a smooth, flat, level surface, and away from direct sunlight. Keep the cord away from heated surfaces and areas where it could be walked on or tripped over. Unplug the unit when not in use and whenever you clean or move the unit.



Germicidal UV Light Information

- 19. **NEVER** look directly at the UV Light while it is illuminated doing so could cause temporary or chronic damage to your eyesight or may even result in loss of vision. UV Light is harmful to bare skin and eyes. To prevent exposure to ultraviolet light, disconnect the power to the unit before servicing any part of the air purifier. **NEVER** operate air purifier if the housing is damaged or cracked.
- 20. **DISPOSAL** If the UV light breaks, turn unit off. **NEVER** operate the unit with a broken UV light. DO NOT use a vacuum to pick up broken bulb glass or handle broken bulb with your hands. Sweep debris into a plastic bag and dispose properly. Contact your local waste management authority for instruction regarding recycling and the proper disposal of the old lights.

SAVE THESE INSTRUCTIONS!

GENERAL SAFETY INSTRUCTIONS



WARNING! Read and understand all instructions. Failure to follow all instructions listed below may result in electric shock, fire or serious personal injury. The warnings, cautions, and instructions discussed in this instruction manual cannot cover all possible conditions and situations that may occur. It must be understood by the user that common sense and caution are a factor which cannot be built into this product, but must be supplied by the user.

THIS AIR PURIFIER IS NOT A TOY!

Do not let your child play with this product. Serious injury and electrocution might be possible. This air purifier has to be operated by an adult only. Children should be supervised to ensure that they do not play with the air purifier.

SAVE ALL INSTRUCTIONS!

CAUTION: A short Power Supply Cord is provided to reduce the risk of personal injury resulting from becoming entangled in or tripping over a longer cord. Extension cords are available from local hardware stores and may be used if care is exercised in their use. If an extension cord is required, special care and caution is necessary. Also the extension cord must be (1) marked with an electrical rating of 125 V and at least 13 A., 1625 W., and (2) the cord must be arranged so that it will not drape over the countertop or tabletop where it can be pulled on by children or accidently tripped over.

ELECTRIC POWER

If the electric circuit is overloaded by other appliances, your humidifier and/or appliances may not operate properly. The humidifier should be operated on a separate electrical circuit from other operating appliances.

POLARIZED PLUG

This humidifier has a polarized plug (one blade is wider than the other). As a safety feature to reduce the risk of electrical shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.





SAFETY WARNING

Although your purifier is easy to operate, for your safety, the below warnings must be followed:

- 1. Do not place the purifier near a heat source.
- 2. Never leave the purifier unattended while connected to the electrical outlet.
- 3. To avoid any accidents, never cover the air grill when the purifier is in operation.
- 4. Use the purifier on a stable surface away from water.
- 5. Do not unplug from the wall socket by pulling on the supply cord.
- 6. The purifier must be unplugged:
 - A. Before any cleaning or maintenance is performed.
 - B. After each use.
 - C. If it appears to be faulty.

THIS PRODUCT IS INTENDED FOR HOUSEHOLD USE ONLY.

LIST OF MAIN PARTS

(The model/shape of your air purifier may vary)

Fig. 1

- 1. Outlet Grill
- 2. Rear Door Latch
- 3. Intake Grill




Fig. 2

- 4. Air Purifier Power Indicator Light
- 5. Control Knob
- 6. Blue UV Indicator Light



Fig. 3 (Bottom)

- 7. Power Cord
- 8. Safety Tip Switch



TECHNICAL SPECIFICATIONS

Rating Voltage	120 V – 60 Hz
Power Supply	45 W
UB Light	4 W
Weight	5 lb

AIR PURIFIER FILTERS:

LEVEL 1: WASHABLE PARTICLE FILTER

The purpose of the foam particle filter is to extend the life of the HEPA filter by removing large particles before they get to the HEPA filter.

You will find visible dust, hair and lint in the particle filter. By keeping this filter clean, you can dramatically extend the life of your HEPA filter and improve the overall efficiency of your purifier. (see maintenance)

LEVEL 2: TRUE HEPA FILTER

HEPA stands for High Efficiency Particulate Air. The inlet grill of your purifier draws in dirty air. The true HEPA filter removes at least 99.97% of all particles as small as 0.3 microns. Microns are used to measure the size of these microscopic airborne particles.

Allergens such as pollen, smoke, animal dander, mold spores and dust get trapped in the HEPA filter

LEVEL 3: ACTIVE CARBON FILTER

The Active Carbon Filter (inside the HEPA filter) captures particles as well as absorbs common household odors caused from tobacco, pets, garbage and cooking.

LEVEL 4: PHOTOCATALYST FILTER

In conjunction with the internal germicidal UV light, the photocatalyst filter creates an advanced oxidation that eliminates airborne odors and neutralizes harmful fumes.

LEVEL 5: GERMICIDAL UV LIGHT

The ultraviolet light prevents germs from growing in the HEPA filter and helps reduce viruses and bacteria.

*The Blue UV Indicator Light indicates the UV light is ON.





OPERATION & USE

BEFORE USE INSTRUCTIONS:

- 1. Select a firm, level & flat surface to place the purifier. For proper air flow, locate the unit at least 3 feet from any wall or furniture.
- 2. Do not place the purifier in close proximity to electronic devices that are sensitive to electrical fields.
- 3. Do not place the unit on metal shelving. Air purifier may be placed on floor, nightstand, table or desk. Make sure the outlet grill faces away from the nearest wall or furniture.
- 4. Make sure the intake and outlet grills are not blocked
- 5. Plug into grounded 120V outlet. (See Safety Instructions)

OPERATING INSTRUCTIONS:

- 1. Turn control knob to desired setting
- 2. Select LOW for whisper quiet operation or use in the bedroom
- 3. Select MED to operate the air purifier on a continuous use
- 4. Select HIGH when high levels of air pollutants are present to quickly circulate and filter the room air
- 5. The Air Purifier Power Light will illuminate RED when power is ON
- 6. The UV Indicator Light will illuminate BLUE when power is ON. If the UV Indicator Light does not illuminate blue when the red power light is on, the UV Light needs to be replaced.



REPLACING THE HEPA FILTER

On average, the HEPA filter needs to be replaced every 3-6 months. Filter life will depend on air quality and usage.

- 1. ALWAYS turn off and unplug the air purifier from power outlet before replacing the filter.
- 2. Remove each of the filters from the unit by pulling gently toward you.
- 3. To replace the HEPA Filter, discard the old HEPA filter. DO NOT attempt to clean the HEPA filter. Place the washable particle filter on the new HEPA filter. Insert into the unit by sliding it into place.
- 4. To close the rear door, place bottom door tab into the slot and close the door. DO NOT force the door to close.

(**NOTE:** If there is any uneven closure at the bottom of the door, it is not closed securely. You will need to re-insert the bottom door tab into the slot and close the door. The door should be evenly flush with the purifier body.)

REPLACEMENT HEPA FILTER SET (HS-1934)

The replacement set includes HEPA filter, particle filter and photocatalyst filter. Replacements can be purchased online at **www.crane-usa.com**

REPLACING THE GERMICIDAL UV LIGHT



WARNING

- Always make sure the purifier is turned OFF and UNPLUGGED from power outlet before replacing UV light.
- Always use caution when handling the UV light to prevent accidental breaking of the bulb.
- NEVER touch the glass part of the light. Oil from fingers will reduce the germicidal performance of the UV light. ALWAYS use gloves, or handle the light only by the metal area on the ends.

DO NOT use a vacuum to pick up broken bulb glass or handle broken bulb with your hands. Sweep debris into a plastic bag and dispose properly. Contact your local waste management authority for instruction regarding recycling and the proper disposal of the old light(s).

The UV bulb is designed to provide approximately one-year continuous operation. After one year, the UV Light's effectiveness is greatly reduced. For maximum protection, Crane recommends replacing after a year or if the blue UV light does not illuminate when the UV switch is ON.

MAINTENANCE

CAUTION: Always be sure the purifier is unplugged and switched off before cleaning, removing filters or attempting to store the item. **NEVER PLUG OR UNPLUG THE PURIFIER WITH WET HANDS.**

CLEANING THE WASHABLE PARTICLE FILTER

- 1. Remove the foam particle filter by pulling out of the unit gently
- 2. Rinse the particle filter by hand using only warm water
 - **DO NOT** place in the dishwasher
 - **DO NOT** use hard solvents or detergents
- 3. Particle filter MUST be thoroughly dry before replacing into the air purifier

CLEANING THE AIR PURIFIER

- 1. Once unplugged, the exterior of the unit can be wiped clean lightly with a damp cloth.
 - DO NOT allow water to get into the intake and outlet grills DO NOT use gasoline, polish or any chemical solution to clean the air purifier
- 2. The intake grill and outlet grill can be cleaned of dust with a small brush
- 3. If you wish to lightly clean the inside of the purifier, please remove filters and **ONLY use a dry, soft cloth** to lightly wipe down.

STORING YOUR PURIFIER

Store the purifier is a dry location. Do not place heavy items on top of the purifier during storage as this may result in possible damage of the appliance. Store the cord in a clean, dry location away from metal objects. Always check the plug before use to assure metal items have not become attached.

CRANE CUSTOMER CARE

CALL US: 888-599-0992 (Mon-Fri 9:00am – 4:00pm CST)

EMAIL US: customer-service@crane-usa.com LIVE CHAT: available at www.crane-usa.com

TROUBLESHOOTING

DO NOT attempt to repair the air purifier yourself.

If the air purifier continues to not operate, please contact Crane Customer Care.

Problem	Solution
Purifier does not operate	 Make sure the intake grill, rear door, is locked into place. Ensure the bottom tab is engaged in slot before shutting the grill. There is an automatic safety shut-off switch if the intake grill door is not shut completely Make sure the air purifier control knob is at LOW, MED or HIGH Make sure the power cord is plugged into power outlet If the above solutions do not work, please contact Crane Customer Care
The air flow is reduced	 Make sure the intake and outlet grills are not blocked or covered If the above solution does not work, please contact Crane Customer Care
Blue indicator light does not illuminate	 Move the purifier to a dark room to double check the light is not illuminating. If a faint blue illumination is not visible, the UV bulb may be burned out. Please refer to UV Light Replacement in this manual Check to see if the fan is running. The UV Light will not illuminate unless the fan is on

NOTE: Spare Parts can be purchased online at www.crane-usa.com

CRANE WARRANTY

For more information regarding the warranty policy, please visit our website: www.crane-usa.com/customer-service

LIMITED WARRANTY

Thank you for purchasing a Crane product which has been tested to meet our stringent quality standards. This product is warrantied to be free from manufacturing defects under normal use and conditions for 1 year.

PLEASE CONTACT US BEFORE RETURNING THIS PRODUCT TO THE STORE. CALL CRANE CUSTOMER CARE FOR PROBLEMS AND QUESTIONS. WE CAN HELP.

WARRANTY REQUIRES A DATED PROOF OF PURCHASE.

This warranty is void if the defect is due to accidental damage, misuse, abuse, neglect, improper repair or alteration by unauthorized persons, or a failure to follow operating instructions provided with the product. This warranty does not apply to normal wear and tear or commercial use.

In no event shall liability exceed the purchase price paid by the purchaser of the product. Under no circumstances shall there be liability for any loss – direct, indirect or incidental – or consequential damage arising out of, or in connection with the use of this product.

This warranty is valid only in the 48 contiguous states plus the District of Columbia and excludes Puerto Rico and the Virgin Islands. This warranty is effective only if the product is purchased and operated in the United States of America.

Any instructions or warranty included in this manual may be subject to change without notice. For the most up-to-date instructions and warranty information, please contact us or visit our website.

TO RECEIVE WARRANTY INSTRUCTIONS AND RETURN AUTHORIZATION, PLEASE CALL OR EMAIL CRANE CUSTOMER CARE.

CRANE USA, INC.
1015 Hawthorn Dr., Itasca, IL 60143

Toll Free: 1-888-599-0992 (Monday - Friday 9:00am - 4:00pm CST)

Email: customer-service@crane-usa.com

Website: www.crane-usa.com

