
Measuring Windows For WebbShades





5 Draw a Plan View

We need to see what your window frame looks like if you are looking straight down at it. Include all dimensions of wall, frame, glass stop, etc. Sample plan view below:



Please draw a plan view for each different type of window.

2 Why WEBB is Different

1 What to Bring

Camera

Paper

Measuring tape

Pencils/pens

Each shade must be custom sized and detailed to fit the window, including guide tracks on the sides. Shades are designed to remain in place for 15 or more years. Care and planning in measuring insures simplified installation and trouble-free operation.

3 Photograph Windows

Take at least one clear photo of each type of window, showing the entire window & frame. If possible, also supply photos showing the top and bottom comers, along with any handles, obstructions, or security screens.

4 Measure

Fill out a complete information sheet for each different type of window. Be sure all information is included. For other windows of exact same type, simply include a list with width (A) and height (B) of each window.

Information Sheets included:

Single window Windows separated by mullion Window with security screen

6 Organize Your Measurements

On large jobs, it's important that we label each shade with Its shade# or location. If you number your measurements in the order you plan to install them, WEBB will pack the shades in that order, so when you open the crate, you find Shade #1 on top. You may want to make a quick drawing of the room locations, or use plans supplied by the facility, and mark windows with shade#, so you have a "map" when it comes time to complete the installation.

7 Answer Questions

Please review and answer the questions on the next page after you've measured. You may need to verify answers with the manager of the facility. If you have concerns about whether a Level-Lok shade will work effectively in a particular situation, please call our factory technicians at 800-328-5343. We have created custom hardware to install our shades in almost every window situation we've ever encountered, including sloped sills, angled window frames, dropped ceilings, security screens. rotating windows, flush window/walls, etc. We're confident that we can work with you to solve any challenge you may encounter on the jobsite.

8 Thank You!

We appreciate the extra time you have spent measuring, photographing, and drawing. You can be assured that WEBB will supply shades that fit your windows, install quickly and easily, and operate maintenance-free for years.



| 1. Do the window | s operate? | | | | |
|---------------------|---------------------------------|--------------------|--------------|---------------|--------------|
| lf so, do th | ey slide, or open into the roo | m, outside the r | oom, do the | ey swivel? | |
| Does the fa | acility require that the window | ws open? | Must they | open comp | letely? |
| Is there a h | andle protruding into the cle | ar window dept | :h? | _Size? | |
| 2. Is there a botto | m window sill? | ····· | | | |
| Are the wir | ndow sills level or sloping? | | | | |
| If sloping, a | are they all the same angle? | | | | |
| Have you r | neasured the height at the po | oint the track wi | ll be attach | ed (1 1/4" fr | om glass)? _ |
| 3. Do any of the w | indows start at oor level? | | | | |
| If so, is the | re a cross mullion? | At what height f | from bottor | m? | |
| 4. Are any of the v | vindows in an interior hallway | y where they ca | n be viewe | d from front | & back? |
| lf so, speci | fy on size sheet, so Ocelco c | an supply valan | ce both sid | es. | |
| 5. Do any of the w | indows contain heat/AC ven | ts on the sills? _ | | | |
| lf so, speci | fy size and distance from gla | ss on plan view | S. | | |
| 6. Do any of the w | indows have air conditoners | in the window? | | | |
| lf so, includ | le drawings with sizes for ea | ch. | | | |
| 7. Do any window | s have tile extending partway | y up the sides? | | | |
| lf so, includ | le drawings with measureme | ents for each. | | | |
| 8. Type of clients | noused in the area: juvenile | geria | tric | other | |
| | | | | | Specify |




Single Window Measurements



Project Name: _____

Window #/ Name: _____



Shade Width:

- 1. Measure the inside width at the top, middle, and bottom of window for inside mount. Round down to the nearest 1/16"
- 2. For outside mount, measure width of mounting points. Round down to the nearest 1/16"
- 3. This is a critical dimension measure carefully
- 4. Factory will make necessary deductions

Shade Height:

- 1. Measure top of bracket to the bottom of lowered shade.
- 2. Measure exact window height to the nearest 1/16"

 Depth: (minus obstructions/handles)

 Pictures Included?: Yes No

Factory will add fabric for wrap on tube




Web www.Ocelco.com • Toll Free 800.328.5343 • Fax Free 866.829.9744 World Headquarters 1111 Industrial Park Road SW, Brainerd, MN 56401 USA

Multiple Window Measurements



Project Name: Window #/ Name:



Shade Width:

- I. Measure the inside width at the top, middle, and bottom
- of window for inside mount. Round down to the nearest 1/16" 2. For outside mount, measure width of mounting points.
- Round down to the nearest 1/16" 3. This is a critical dimension - measure carefully
 - 4. Factory will make necessary deductions

Shade Height:

- 1. Measure top of bracket to the bottom of lowered shade.
 - Measure exact window height to the nearest 1/16"

Depth of Drywall: (minus obstructions/handles)

Depth of Mullion: (minus obstructions/handles)

Pictures Included?: Yes No

Web www.Ocelco.com • Toll Free 800.328.5343 • Fax Free 866.829.9744 • World Headquarters 1111 Industrial Park Road SW, Brainerd, MN 56401 USA

Window Measuring Form

| Facility: | Phone Number: | Date: |
|-----------|--------------------------|---------------------|
| | | WebbGlide |
| | uring: | WebbLok |
| Sold To: | Person Measuring: | Shade Type: WebbLok |

| Notes, Obstructions, Photos Included? | | | | | | | | | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Materials Mounted Into Wood (M) Concrete (C) Drywall (D) | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D | W / C / D |
| Drill Into Mullion? | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N |
| Mullions Required? | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N | Y / N |
| Clear Window Depth (Minus Obstructions) | | | | | | | | | | | | | |
| Height of Opening | | | | | | | | | | | | | |
| Width of Opening | | | | | | | | | | | | | |
| Quantity | | | | | | | | | | | | | |
| Room # | | | | | | | | | | | | | |
| Building # or Area | | | | | | | | | | | | | |

Web www.Ocelco.com • Toll Free 800.328.5343 • Fax Free 866.829.9744 • World Headquarters 1111 Industrial Park Road SW, Brainerd, MN 56401 USA

Adolescent environment may require additional considerations

ð

Page __

Questions? 800-328-5343